

---

# Gaze-Guided Narratives for Outdoor Tourism

**Peter Kiefer**

GeoGazeLab, Chair of  
Geoinformation Engineering  
ETH Zurich  
CH-8093 Zurich, Switzerland  
pekiefer@ethz.ch

**Benjamin Adams**

Department of Geography  
University of Canterbury  
Christchurch 8020, New Zealand  
benjamin.adams@canterbury.ac.nz

**Martin Raubal**

GeoGazeLab, Chair of  
Geoinformation Engineering  
ETH Zurich  
CH-8093 Zurich, Switzerland  
mraubal@ethz.ch

**Abstract**

Many outdoor spaces have hidden stories connected with them that can be used for enriching a tourist's experience. Previous work on locative media has suggested to include these stories by guiding users to relevant places through positioning technology. However, stories are often related to environmental features which are far from the user, far apart from each other, and therefore difficult to explore by locomotion, but can be visually explored from a vantage point. Telling a story from a vantage point is challenging since the system must ensure that the user can identify the relevant features in the environment. This position paper suggests using eye tracking for enabling *gaze-guided narratives* as a novel interaction principle. The idea is to tell a story based on its formal and location-dependent specification, and dynamically depending on the user's current and previous gaze on a panorama.

**Author Keywords**

gaze-based interaction; gaze guidance; narrative; storytelling; story graph; outdoor interaction; tourist guide

**ACM Classification Keywords**

H.5.2 [Information interfaces and presentation (e.g., HCI)]:  
User Interfaces

## Motivation


Outdoor spaces offer a variety of opportunities and experiences for tourists. On the one hand, they facilitate physical activities, such as hiking, skiing or climbing. Previous HCI research has aimed at supporting these kinds of sportive activities in a way that contributes to individuals' health, well-being, and safety [3, 18]. On the other hand, outdoor spaces also feature unique opportunities for learning and entertainment [15, 8]. For instance, there seems to be a widespread interest in knowing the names of environmental features in sight, as can be seen in the prevalence of augmented reality (AR) apps, such as PeakFinder<sup>1</sup>.

Many touristic outdoor spaces around the world have fascinating yet complex stories to tell, which are not easy to communicate through simple interaction approaches. Consider, for instance, the history and literary fiction connected with a Swiss mountain panorama (see next section and [9]), Romantic poetry related to the English Lake District [4], or the formation history of geological phenomena in a US national park. The plot of such stories typically involves more than one environmental feature and has narrative ordering dependencies. Previous work on locative media has suggested to tell these stories by guiding users to a sequence of relevant places through positioning technology [12, 4] or through magic lens-based interaction with maps such as in the WikEar system [17]. Often, however, a story involves environmental features which are far from the user and far apart from each other, but easy to explore visually from one (or a small set of) vantage point(s).

Here, we consider guides that tell stories to a tourist standing at a vantage point. A particular challenge is that the system must ensure the user can identify the relevant features in the environment. This position paper envisions

<sup>1</sup><https://www.peakfinder.org/>

*gaze-guided narratives*, a novel interaction principle which combines gaze guidance [11] with storytelling [13]. The idea is to track the user's gaze while telling a story about an outdoor space, and take the recorded history of visual attention into account for the continued narration. We suggest that gaze-guided narratives should be based on a formal and location-dependent specification of stories.



**Figure 1:** Story-related areas of interest for the Tell scenario (view from the Fronalpstock mountain looking towards Lake Lucerne).  
© Photo: Josef Schalch (<http://mountainstamp.com/>).



**Figure 2:** Demo of the gaze-based tourist guide for a panorama wall (exhibit at science fair).

### Scenario: Swiss Mountain Panorama

We explain our vision with the scenario of a tourist guide that builds a gaze-guided narrative around the Swiss saga of ‘Wilhelm Tell’, a drama written by Schiller in 1804 about the struggle for freedom in which the hero fights against the despotic authorities, represented by the character ‘Hermann Gessler’ [16]. Figure 1 illustrates a number of places related to that story which can be seen from a vantage point on the Fronalpstock mountain.

We consider the following requirements:

**(R1)** The system must not be visually distracting in order to enable full immersion and unobtrusive user experiences [6].

**(R2)** The system should help the user correctly identify the places relevant for the story when they are mentioned.

**(R3)** The system should guide the user through the (not necessarily linear) story, but avoid patronization (e.g., not force the user to stare at one place for a long time).

**(R4)** The system should flexibly adapt to the user’s interests (which are recognized from gaze).

Table 1 lists a possible gaze-guided narrative which evolves dynamically based on the user’s gaze. The system provides information by audio, thus fostering a high degree of visual immersion contrary to displays **(R1)**. Problems in visual search are detected and additional help is provided when necessary **(R2, c, g)**. The system follows a pre-defined storyline **(R3, a, b, d, f)**, but inserts extra information based on the user’s interest **(R4, e)**. The user is free to explore the panorama during long explanations **(R3, a, d, e)**, contributing to high immersion **(R1)**.

The following section describes the authors’ related previous work. The final section concludes the position paper

with an outlook on the next steps towards gaze-guided narratives.

	System	Alice
a	Welcome to the story of Wilhelm Tell ... [introduction]	Alice freely explores the panorama while listening.
b	The Tell story is tightly connected to the myth about the foundation of Switzerland which is supposed to have taken place at Rütliwiese, a small piece of grassland on the opposite side of the lake.	Alice looks at wrong place.
c	Let me help you find Rütliwiese... [more detailed description]	Alice searches and finds Rütliwiese.
d	Yes, you found it. ... [starts story about Rütliwiese]	Alice listens and starts exploring the opposite hill.
e	[interrupts story]. By the way, there is a beautiful hiking trail along the hill you are currently looking at. It starts at Rütliwiese. ... [continues story]	Alice further explores the hill and Rütliwiese.
f	Now, let’s start with the story of Tell. The story is about a conflict with Gessler, and it starts in Altdorf, a village at the left shore of the lake.	Alice searches.
g	Actually, you have looked at Altdorf in the very beginning. Do you remember?	Alice looks at Altdorf
h	...	

**Table 1:** Example for a gaze-guided narrative: the system guides the user and adapts its storytelling to her gaze.



**Figure 3:** Gaze-based tourist guide for a city panorama.

### Own Previous Work

The GeoGazeLab at ETH Zurich has 7 years of experience with eye tracking in both indoor and outdoor spaces (<http://www.geogaze.org/>). Part of our research integrates gaze-based interaction as one type of interaction into location-based services (LBS) by combining positioning with mobile eye tracking (*Location-Aware Mobile Eye Tracking*, [10]).

Three types of spatial context can be used for this type of interaction [5]: the space interacting in (i.e., the user's position), the space interacted with (i.e., the environmental object looked at), and the spatial information interacted with (e.g., a map used for orientation in wayfinding). A particular challenge for Location-Aware Mobile Eye Tracking is caused by the movement of the user and/or the objects interacted with [2].

Here, we consider a stationary user interacting with static environmental features (e.g., mountains). A working prototype for these types of scenarios has been developed in the scope of the LAMETTA project (Location-Aware Mobile Eye Tracking For Tourist Assistance, <http://www.geogaze.org/lametta/>) [1]. Figure 2 shows the system at a science fair in Zurich (Scientifica, September 2017). The LAMETTA system has also been tested outdoors for city panoramas (Figure 3, [1]). In the current implementation, information about touristic places of interest is provided by audio based

on dwell time, thus implementing an explicit interaction paradigm.

In one of our previous studies we have analyzed touristic gaze on a real world urban city panorama [7] with the goal of predicting the moment the user will get bored. Recognizing boredom could be useful for pushing novel information at the right moment (implicit interaction).

### Outlook: Towards Gaze-Guided Narratives

The type of interaction we propose in this paper is neither fully explicit nor implicit. We envision a strategy that encompasses multiple techniques to reach our goal. Gaze-guided narratives are a form of interactive narrative storytelling where the storytelling process can be modeled as a trajectory through a state space [13]. The gaze actions of the user dictate the ordering of the story and in some cases its outcome, but at the same time it is important to maintain coherency in the narrative [14]. Story graphs as well as partially-ordered scripts provide formal models to enforce dependencies in the narrative, and we can build on these to create a formal model for gaze-guided narratives. User modeling based on gaze behavior in an outdoor setting in order to identify user interests is an open problem. We anticipate that bespoke user conceptual models will be necessary to create individuated gaze-guided narratives for different types of environments. Another key challenge is how to interpret gaze behavior as an indicator of user intent to make a shift in the story graph. We see these requisite components leading to a full program of future experimental research.

### Acknowledgements

This work has been supported by ETH Zurich Research Grant ETH-38 14-2. We thank Lisa Stähli for helping with the content for the Tell scenario.



## References

- [1] Vasileios-Athanasios Anagnostopoulos, Michal Havlena, Peter Kiefer, Ioannis Giannopoulos, Konrad Schindler, and Martin Raubal. 2017. Gaze-Informed Location Based Services. *International Journal of Geographical Information Science* 31, 9 (2017), 1770–1797. DOI : <http://dx.doi.org/10.1080/13658816.2017.1334896>
- [2] Vasileios-Athanasios Anagnostopoulos and Peter Kiefer. 2016. Towards Gaze-Based Interaction with Urban Outdoor Spaces. In *6th International Workshop on Eye Tracking and Mobile Eye-Based Interaction (PET-MEI 2016) (UbiComp'16 Adjunct)*. ACM, New York, NY, USA. DOI : <http://dx.doi.org/10.1145/2968219.2968339>
- [3] Claudio Bettini and Sergio Mascetti. 2016. Safe-Trekker: towards automatic recognition of critical situations in mountain excursions. In *(UbiMount) ubiquitous computing in the mountains*.
- [4] Keith William John Cheverst, Ian Norman Gregory, and Helen Turner. 2016. Encouraging Visitor Engagement and Reflection with the Landscape of the English Lake District: Exploring the potential of Locative Media. In *International Workshop on 'Unobtrusive User Experiences with Technology in Nature'*. 1–5.
- [5] Ioannis Giannopoulos, Peter Kiefer, and Martin Raubal. 2013. Mobile Outdoor Gaze-Based GeoHCI. In *Geographic Human-Computer Interaction, Workshop at CHI 2013*. Paris, France, 12–13.
- [6] Jonna Häkkinilä, Keith Cheverst, Johannes Schöning, Nicola J. Bidwell, Simon Robinson, and Ashley Colley. 2016. NatureCHI: Unobtrusive User Experiences with Technology in Nature. In *Proceedings of the 2016 CHI Conference Extended Abstracts on Human Factors in Computing Systems (CHI EA '16)*. ACM, New York, NY, USA, 3574–3580. DOI : <http://dx.doi.org/10.1145/2851581.2856495>
- [7] Peter Kiefer, Ioannis Giannopoulos, Dominik Kremer, Christoph Schlieder, and Martin Raubal. 2014. Starting to get bored: An outdoor eye tracking study of tourists exploring a city panorama. In *Proceedings of the Symposium on Eye Tracking Research and Applications (ETRA '14)*. ACM, New York, NY, USA, 315–318. DOI : <http://dx.doi.org/10.1145/2578153.2578216>
- [8] Peter Kiefer, Sebastian Matyas, and Christoph Schlieder. 2006. Learning About Cultural Heritage by Playing Geogames. In *Entertainment Computing - ICEC 2006*, Richard Harper, Matthias Rauterberg, and Marco Combetto (Eds.). Lecture Notes in Computer Science, Vol. 4161. Springer Berlin / Heidelberg, 217–228. DOI : [http://dx.doi.org/10.1007/11872320\\_26](http://dx.doi.org/10.1007/11872320_26)
- [9] Peter Kiefer, Martin Raubal, Tabea Probst, and Hansruedi Bär. 2014. Linear Location-Based Services. In *Proceedings of the 11th International Symposium on Location-Based Services (LBS 2014)*. 239–243.
- [10] Peter Kiefer, Florian Straub, and Martin Raubal. 2012. Towards location-aware mobile eye tracking. In *Proceedings of the Symposium on Eye Tracking Research and Applications (ETRA '12)*. ACM, New York, NY, USA, 313–316. DOI : <http://dx.doi.org/10.1145/2168556.2168624>
- [11] Viktor Losing, Lukas Rottkamp, Michael Zeunert, and Thies Pfeiffer. 2014. Guiding Visual Search Tasks Using Gaze-contingent Auditory Feedback. In *Proceedings of the 2014 ACM International Joint Conference on Pervasive and Ubiquitous Computing: Adjunct Publication (UbiComp '14 Adjunct)*. ACM, New York, NY, USA, 1093–1102. DOI : <http://dx.doi.org/10.1145/2638728.2641687>

- [12] Valentina Nisi, Alison Wood, Glorianna Davenport, and Ian Oakley. 2004. Hopstory: An interactive, location-based narrative distributed in space and time. In *International Conference on Technologies for Interactive Digital Storytelling and Entertainment*. Springer, 132–141.
- [13] Mark Owen Riedl and Vadim Bulitko. 2012. Interactive narrative: An intelligent systems approach. *AI Magazine* 34, 1 (2012), 67.
- [14] Mark Owen Riedl, Andrew Stern, Don Dini, and Jason Alderman. 2008. Dynamic experience management in virtual worlds for entertainment, education, and training. *International Transactions on Systems Science and Applications, Special Issue on Agent Based Systems for Human Learning* 4, 2 (2008), 23–42.
- [15] Christian Sailer, Peter Kiefer, Joram Schito, and Martin Raubal. 2016. Map-based visual analytics of moving learners. *International Journal of Mobile Human Computer Interaction* 8, 4 (Oct-Dec 2016). DOI: <http://dx.doi.org/10.4018/IJMHCI.2016100101>
- [16] Friedrich Schiller. 2001. *Wilhelm Tell*. Reclam.
- [17] Johannes Schöning, Brent Hecht, and Nicole Starosielski. 2008. Evaluating automatically generated location-based stories for tourists. In *CHI'08 extended abstracts on Human factors in computing systems*. ACM, 2937–2942.
- [18] Frederik Wiehr, Felix Kosmalla, Florian Daiber, and Antonio Krüger. 2016. Interfaces for Assessing the Rated Perceived Exertion (RPE) During High-intensity Activities. In *Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing: Adjunct (UbiComp '16)*. ACM, New York, NY, USA, 851–855. DOI: <http://dx.doi.org/10.1145/2968219.2968532>